



Application # T10-_____

Effective 01/01/2010

2010 HIGH EFFICIENCY TOILET AND URINAL REBATE APPLICATION

\$175 Residential Rebate (credit or check) - up to the retail cost, whichever is less - for High Efficiency Toilets (HET)
\$200 Commercial/Industrial/Institutional Rebate (credit or check) - up to retail cost, whichever is less - for HET or Urinal

**PLEASE NOTE: A qualifying HET is a U. S. EPA WaterSense toilet rated at 1.28 gallons per flush.
A qualifying low-flush urinal is rated at 0.5 gpf and labeled UPC approved.**

Available to qualifying El Dorado Irrigation District and City of Placerville water or water/sewer customers that meet all of the eligibility requirements. For EID office use only: SFR MFR SFDP CII COP

Name of Applicant Daytime Telephone Number

Mailing Address City State Zip Code

Installation Address (if different) City State Zip Code

Email Address (to receive notification that your rebate credit has been posted to your account.)

My water service is provided by: El Dorado Irrigation District City of Placerville

My account number is _____ (please refer to your water or water/sewer bill)

Attach a COPY of your dated sales receipt or plumber's invoice showing the make, model number, and price of the new HET(s) or urinal. To avoid delays, check your receipt to see if it lists the toilet model number(s). If not, also send in a copy of a detailed invoice from the store, packaging from the box, or other proof with a model number that can be verified.

The year building was built _____ Number of toilets in the building _____

Estimated tank size of old toilet(s): 3.5 gallons 5 gallons 7 gallons Unknown

Number of toilets replaced _____ Date(s) of installation(s) _____

HET Manufacturer _____ Model name _____ Model number _____

HET Manufacturer _____ Model name _____ Model number _____

Urinal Manufacturer _____ Model name _____ Model number _____

Who installed the new fixture(s)? Did it myself Plumbing contractor Other _____

IMPORTANT: Before signing below, please read all of the instructions on page two, and completely fill out this form and the customer survey on page three in order to avoid a delay in processing your rebate credit (EID customers) or rebate check (City customers).

I have read, understand, and agree to all the terms and conditions of this rebate application. I declare under penalty of perjury of the laws in the State of California that all of the information provided herein is true and correct of my own personal knowledge.

Applicant Signature _____ Date _____

NOTE: The owner must co-sign the rebate application if the applicant is not the owner of the building.

Property Owner's Signature _____ Date _____

Please mail this completed application, customer survey, and a COPY of sales receipt to:
EID Office of Water Efficiency
2890 Mosquito Road
Placerville, CA 95667

For questions or additional information, please call (530) 642-4126



2010 HIGH EFFICIENCY TOILET AND URINAL REBATE APPLICATION

ELIGIBILITY REQUIREMENTS FOR A REBATE (credit or check):

1. New construction projects and room additions are NOT eligible for a rebate.
2. The building must have been built prior to January 1, 1992 when new plumbing codes were adopted.
3. Must replace a high-flush volume, pre-1992 toilet with a WaterSense high efficiency toilet (HET) using 1.28 gallons per flush (gpf) or less; or a dual flush with an average gpf of 1.28 or less. Adjustable flush toilets are not eligible.
4. Replacement of existing 3.5 gpf or greater urinals with low-flush 0.5 gpf or less labeled UPC approved also qualify.
5. The new HET or urinal must be installed at a location with water service provided by the El Dorado Irrigation District or the City of Placerville (water or water/sewer service).
6. The new HET or urinal must replace a 3.5 or greater gallon per flush toilet or urinal.
7. The new HET or urinal must be purchased after January 1, 2010 to be eligible for this rebate (credit or check).
8. EID recommends that the new HET have a maximum performance rating (MaP) of 500 grams or more to ensure your satisfaction with the new high efficiency toilet. Waterless urinals are not eligible for a rebate.
9. The old high-flow toilet or urinal must be properly disposed of, which is the responsibility of the applicant. The Material Recovery Facility at 4100 Throwita Way in Placerville accepts old toilets and urinals for a small fee.

PROCEDURE TO RECEIVE A REBATE (credit or check):

1. Purchase and install a new HET using 1.28 gallons per flush or less; or urinal using 0.5 gpf or less.
2. To avoid delays, fully complete Page 1 and the customer survey, returning both with a copy of your sales receipt showing the model number(s) to the EID Office of Water Efficiency at 2890 Mosquito Road, Placerville, CA 95667.
3. Properly dispose of your old toilet or urinal. Disposal of used fixtures is the responsibility of the applicant.

Rebate credit or check: Eligible customers that receive their water or water/sewer bills directly from EID will receive a rebate by credit on their EID account. Please allow approximately 10 to 12 weeks for your rebate credit to be reflected on your water bill. Eligible customers that do NOT receive a water or water/sewer bill from EID – such as City of Placerville water service customers, customers in mobile home parks, and customers receiving bills indirectly from a third party such as property managers, homeowner associations, and landlords – will instead receive a rebate by check. Please allow approximately 6 to 8 weeks to receive your rebate check.

Rebate amount (credit or check): Residential rebates of up to \$175 – up to the retail cost, whichever is less – will be issued for the purchase of an HET. For commercial, industrial or institutional customers, the rebates are up to \$200 – up to the retail cost, whichever is less – for the purchase of an HET or low-flush urinal. Installation costs are not eligible.

Verification of Installation: EID reserves the right to inspect, and/or verify onsite, the installation of any high efficiency toilet or low-flush urinal submitted for this rebate program.

Duration: The program is in effect from January 01, 2010 through December 31, 2010. Applications will be accepted on a first-come, first-serve basis while funding is available or until the program is discontinued. EID in its discretion may at any time change this program without prior notice. All 2010 applications must be received by EID no later than 01/31/2011.

Disclaimers: EID reserves the right to deny any application that does not meet all the requirements outlined above. Due to variables beyond the control of EID and the City of Placerville, we cannot guarantee that the installation of high efficiency toilets or low-flush urinals will result in lower utility bills. EID is not responsible for damage that occurs to any person, or real or personal property as a result of the program. This program is designed to provide financial assistance to EID and City customers wishing to replace older, high flush toilets and urinals with water conserving fixtures. The installation of the toilets and urinals is the sole responsibility of the applicant, as is the determination of the adequacy and compatibility of their existing plumbing system. EID and the City assume no responsibility or liability for any damage that may occur to an applicant's property as a result of participation in this rebate program.

Limitation of Liability/Release: Applicant understands and agrees that to, the extent not prohibited by law, in no event shall EID, its officials, officers, employees or agents be liable for any claimed or actual damages or losses of any kind, however caused and regardless of the theory of liability, related in any way to this HET/Urinal replacement program, even if EID has been advised of the possibility of such damages or losses. To the extent not prohibited by law, the applicant assumes all risks associated with this program, including without limitation, all risks associated with installation and operation of the HET/Urinal provided hereunder and the risk of not realizing cost savings as a result of using the HET/Urinal. Applicant releases EID, its officials, officers, employees or agents from any and all claims for damage or death or injury to any persons or property arising in any way from this HET/Urinal replacement program or any HET/Urinal provided hereunder, including without limitation the installation or use thereof, other than those caused solely by the willful or grossly negligent acts or omission of EID.

2010 Toilet Replacement Grant Customer Survey

This rebate program is partially funded through a grant from the California Department of Water Resources. As part of this program, we are required to survey customers to understand why you are making certain choices regarding the replacement of toilet fixtures.

1. Toilets are being installed in a:

- Home
- Business

2. How many toilets do you have in your home or business? If a business, please specify number of urinals also.

3. How many toilets are being replaced?

4. For water efficient toilets already installed in the home, how would you rate their performance?

- Better than expected
- About what expected
- Below what expected
- Don't yet know

5. Primary reason for replacing existing toilet with a more water efficient toilet (please check only one).

- Bathroom remodel
- Toilet broken or not performing well
- Heard about the rebate program
- Concerned about saving water
- Other _____

6. If there are toilets in the home/business that are not being replaced, please check all reasons that apply below.

- Toilet is already 1.6 gallons per flush or less
- Existing toilet is working well
- New toilet is too expensive
- Other _____

7. Would you consider replacing any toilets that are not water efficient (greater than 1.6 gallons per flush) in the next 2 years if additional rebates are available?

- Yes
- No

8. **N/A for 2010 Rebates** For those purchasing a 1.6 gallons per flush toilet, please check all reasons that apply for not choosing a higher water efficiency 1.28 gallon per flush or less toilet.

- ~~Didn't know about them~~
- ~~Didn't like the selection available~~
- ~~Concerned about their performance (too new to market)~~
- ~~Too expensive compared to the 1.6 gallons per flush models~~
- Other _____

9. How did you find out about the program? Please check all that apply.

- Utility billing/Newsletter
- Newspaper/Publication
- Radio/TV
- Billboard
- At an event
- Friend/Neighbor
- Other

